

Message

---

**From:** Matsumoto, Kimi [Matsumoto.Kimi@epa.gov]  
**Sent:** 9/9/2016 12:48:31 AM  
**To:** Logan, Paul [Logan.Paul@epa.gov]  
**Subject:** FW: DB ESA Update

Hi Paul –

The program wanted some feedback before briefing Darcy tomorrow so here is what I just sent.

Thanks, Kimi

---

**From:** Matsumoto, Kimi  
**Sent:** Thursday, September 08, 2016 6:47 PM  
**To:** Suchomel, Bruce <Suchomel.Bruce@epa.gov>  
**Cc:** Chin, Lucita <Chin.Lucita@epa.gov>; Minter, Douglas <Minter.Douglas@epa.gov>  
**Subject:** RE: DB ESA Update

Attorney-client privileged/attorney work product/deliberative

Hi Bruce

Thank you for the summary.

**Ex. 5 AC/AWP/DP**

# Ex. 5 AC/AWP/DP

Thanks,  
Kimi

---

**From:** Suchomel, Bruce

**Sent:** Thursday, September 08, 2016 4:52 PM

**To:** Matsumoto, Kimi <[Matsumoto.Kimi@epa.gov](mailto:Matsumoto.Kimi@epa.gov)>

**Cc:** Chin, Lucita <[Chin.Lucita@epa.gov](mailto:Chin.Lucita@epa.gov)>; Minter, Douglas <[Minter.Douglas@epa.gov](mailto:Minter.Douglas@epa.gov)>

**Subject:** DB ESA Update

Kimi,

# Ex. 5 AC/DP

If you're OK with this approach I will make the changes as mentioned above, and save that into another document. This new document can then have ORC's review on what, if anything, should be changed/added/removed. It would primarily have what we have covered recently – with your comments solicited keeping the new approach in mind.

# Ex. 5 AC/DP

Douglas would like to provide an update and recommendation to OPRA management on Friday – we just wanted to run the approach past you for comments. Thanks!

Bruce Suchomel  
UIC Program - Environmental Engineer/Project Manager/COR  
USEPA Region 8 (P-W-UIC)  
1595 Wynkoop St.  
Denver, CO 80202-1129  
303-312-6001